

TOOLBOX TALKS

CONCRETE & REBAR

Toolbox Talks are designed to promote safety discussions and best practices on the jobsite. To see more Toolbox Talks, please visit hollandcs.com/toolboxtalks.

When you work around concrete, you should always be aware of the hazards and safety precautions that come with the job.

SAFETY TIPS

- Wear gloves, eye protection and Personal Protection Equipment (PPE) at all times when working with concrete
- If concrete splatters on the skin, wash off as soon as possible
- When placing and securing reinforcing steel in walls, always use a safety belt, full body harness or other equivalent fall protection gear if you are more than 5 feet (1.5 meters) above the working surface
- Never work above rebar that is vertically protruding. Cover or cap the top of the rebar to prevent workers from being impaled in the event of a fall
- When using powered equipment, make sure control switches automatically shut off when your hands are removed from the handles. Do not use tie-downs or anything else to bypass the shut-off control
- Never ride in concrete buckets
- Never work under a concrete bucket that is suspended from a crane or boom
- When discharging concrete on a slope, make sure the ready-mix truck wheels are blocked and the brakes are set to prevent movement
- All equipment, hand and power, should be checked and in safe working condition before use. Replace or repair all defective equipment

The material in this document is provided for informational purposes only and not as a comprehensive or exhaustive resource on this topic. This material has been compiled from a multitude of sources believed to be accurate; however, Holland assumes no responsibility for the accuracy or currency of this information and encourages you to consult experts in this area for more information. In no event does the content of this document supersede any applicable local, state or federal statutes or regulations.



A Better Way
• TO BUILD •